




EN, EN4

Monoblock Horizontal Type
Single Stage Centrifugal Pumps





EBITT was born from “an idea” and turned into “an ideal”

EBITT is a specialized organization with deep expertise in pump and fluid technologies, capable of accurately interpreting both Turkish and global market demands and translating them into the right solutions.

Founded to be the ideal intersection of supply and demand in fluid technologies, EBITT goes beyond developing and marketing products. It represents a holistic business model built to meet expectations at the highest level.

More than a company, EBITT is a perspective, a system, and a spirit. Its foundation is human capital and accumulated expertise, transferred sustainably like a relay race rather than treated as a traditional capital asset.

For EBITT, innovation is not limited to technological advancement. It is a creative, value-driven approach that prioritizes responsibility, customer expectations, business efficiency, and uncompromising standards for health and safety. Every innovation emerges from this integrated understanding.

Quality, for EBITT, is a non-negotiable standard in all areas involving water and fluids—throughout life. Together with its suppliers, customers, and team members who share this philosophy, EBITT builds long-term, sustainable win-win relationships.

With this mindset, EBITT offers a wide range of products and systems, from basic solutions to process-specific equipment, serving residential, industrial, agricultural, irrigation, pool, treatment, and specialized applications. Beyond standard products, EBITT also delivers tailor-made solutions that maximize added value.

EBITT believes the ideal solution is not always the most expensive one, but the most rational—optimizing needs in the most efficient way.

Positioning itself as a trusted solution provider, EBITT stands out with its values, flexibility, and dynamic structure, ready to respond to evolving demands.

EN, EN4

MONOBLOCK HORIZONTAL TYPE
SINGLE STAGE CENTRIFUGAL PUMPS



EN, EN4

- Single stage, rigid coupled, monoblock design
- Flange type of connections (PN10/16)
- Cast iron body and impeller
- Mechanical sealed (for different fluids: Options available)
- IP54, F insulation
- Operating Pressure: 16 bar
- Max Temperature: -20 °C, +120 °C
- EN4: ≤1450 rpm
- EEI ≥0,40

Model	Motor Power	Motor Speed	Q (m³/h)	0	6	12	15	18	21	24	27	30	33	36	39
	kW	rpm	Q (l/min)	0	100	200	250	300	350	400	450	500	550	600	650
EN 32-125/1,5	1,5	2900	H (m)	16,2	16,0	15,2	14,6	13,6	12,2	10,2					
EN 32-125/2,2	2,2	2900		21,4	21,4	20,9	20,4	19,6	18,5	17,0	15,0	12,4			
EN 32-125/3	3	2900		26,0	26,0	25,8	25,5	24,8	24,0	23,0	21,4	19,4	16,9	14,0	
EN 32-125/4	4	2900		29,2	29,2	29,0	28,8	28,4	27,8	26,8	25,6	24,0	22,2	19,8	17,2
EN 32-160/2,2	2,2	2900		25,1	25,0	24,1	23,0	21,4	19,2	16,0					
EN 32-160/3	3	2900		30,3	30,2	29,5	28,5	27,0	25,2	22,4	18,8	14,2			
EN 32-160/4	4	2900		36,6	36,3	35,8	35,0	33,8	32,2	30,0	26,8	23,0	17,8		
EN 32-160/5,5	5,5	2900		44,0	43,6	43,2	42,6	41,8	40,5	38,8	36,2	32,8	28,8	24,0	
EN 32-200/5,5	5,5	2900		42,0	42,0	42,0	41,0	40,0	39,0	37,0	35,0	32,0	28,0	24,0	
EN 32-200/7,5	7,5	2900		53,0	53,0	53,0	52,0	52,0	51,0	50,0	48,0	45,0	43,0	43,0	35,0
EN 32-200/11	11	2900		69,0	69,0	69,0	69,0	68,0	68,0	67,0	66,0	64,0	63,0	63,0	57,0
EN 32-250/7,5	7,5	2900		60,0	59,0	59,0	58,0	56,0	54,0	50,0					
EN 32-250/11	11	2900		74,0	74,0	73,0	72,0	71,0	69,0	67,0	63,0	59,0	54,0		
EN 32-250/15	15	2900		91,0	91,0	91,0	90,0	89,0	89,0	87,0	85,0	81,0	78,0	73,0	66,0
EN 32-250/18,5	18,5	2900		106,0	106,0	105,0	105,0	105,0	104,0	104,0	103,0	101,0	98,0	94,0	88,0
EN 32-250/22	22	2900		108,0	108,0	108,0	108,0	107,0	107,0	106,0	105,0	103,0	100,0	97,0	91,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	15	21	27	30	33	36	39	45	51	57	66
	kW	rpm	Q (l/min)	0	250	350	450	500	550	600	650	750	850	950	1100
EN 40-125/2,2	2,2	2900	H (m)	18,3	17,6	16,7	15,2	14,0	12,7	11,0	9,0				
EN 40-125/3	3	2900		23,4	22,9	22,1	20,8	19,8	18,7	17,3	15,5	11,3			
EN 40-125/4	4	2900		28,1	27,7	27,0	26,0	25,2	24,2	23,0	21,5	17,8	13,0		
EN 40-125/5,5	5,5	2900		31,1	30,7	30,2	29,2	28,5	27,6	26,5	25,3	22,1	17,7		
EN 40-160/4	4	2900		28,4	28,2	27,7	26,7	26,0	25,2	24,0	23,0	20,0	16,3		
EN 40-160/5,5	5,5	2900		35,8	35,8	35,2	34,5	33,8	33,1	32,2	32,1	28,7	25,5	21,5	
EN 40-160/7,5	7,5	2900		44,0	43,8	43,5	43,0	42,4	42,0	41,2	40,3	38,4	35,7	32,3	
EN 40-200/7,5	7,5	2900		40,0	39,0	39,0	38,0	38,0	37,0	36,0	35,0	32,0	28,0		
EN 40-200/11	11	2900		52,0	52,0	52,0	51,0	51,0	50,0	49,0	48,0	46,0	43,0	38,0	
EN 40-200/15	15	2900		65,0	65,0	65,0	65,0	64,0	64,0	63,0	62,0	61,0	58,0	54,0	48,0
EN 40-200/18,5	18,5	2900		70,0	70,0	70,0	69,0	69,0	68,0	68,0	67,0	66,0	63,0	60,0	54,0
EN 40-250/15	15	2900		63,0	63,0	63,0	63,0	62,0	61,0	60,0	59,0	57,0	53,0	48,0	38,0
EN 40-250/18,5	18,5	2900		73,0	73,0	73,0	73,0	72,0	71,0	71,0	70,0	67,0	64,0	60,0	51,0
EN 40-250/22	22	2900		82,0	82,0	82,0	82,0	81,0	81,0	81,0	80,0	78,0	75,0	72,0	64,0
EN 40-250/30	30	2900		97,0	97,0	97,0	97,0	97,0	96,0	96,0	96,0	95,0	93,0	90,0	85,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	24	36	48	54	60	66	72	78	84	96	108
	kW	rpm	Q (l/min)	0	400	600	800	900	1000	1100	1200	1300	1400	1600	1800
EN 50-125/3	3	2900	H (m)	16,0	15,0	14,0	12,3	11,3	10,2	9,0					
EN 50-125/4	4	2900		20,8	20,2	19,0	17,7	16,8	15,8	14,7	13,3	12,0			
EN 50-125/5,5	5,5	2900		25,5	25,2	24,2	23,0	22,2	21,3	20,2	19,0	17,7	16,2		
EN 50-125/7,5	7,5	2900		30,2	30,0	29,2	28,2	27,4	26,5	25,6	24,3	23,0	21,6	18,0	
EN 50-160/5,5	5,5	2900		26,1	25,7	25,0	23,8	23,0	21,8	20,5	19,0				
EN 50-160/7,5	7,5	2900		31,3	31,0	30,5	29,4	28,5	27,6	26,5	25,0	23,2	21,3	16,3	
EN 50-160/11	11	2900		39,0	39,0	38,5	37,7	37,0	36,2	35,2	34,0	32,5	31,0	26,6	21,2
EN 50-160/15	15	2900		44,5	44,6	44,2	43,8	43,0	42,4	41,6	40,5	39,0	37,6	34,0	29,0
EN 50-200/11	11	2900		42,0	42,0	41,0	40,0	39,0	38,0	37,0	35,0	34,0	32,0		
EN 50-200/15	15	2900		52,0	52,0	52,0	51,0	50,0	49,0	48,0	47,0	45,0	43,0	40,0	
EN 50-200/18,5	18,5	2900		60,0	60,0	60,0	59,0	58,0	58,0	57,0	55,0	54,0	52,0	49,0	
EN 50-200/22	22	2900		68,0	68,0	68,0	68,0	67,0	67,0	66,0	65,0	63,0	62,0	59,0	55,0
EN 50-250/18,5	18,5	2900		59,0	58,0	58,0	56,0	55,0	54,0	52,0	50,0	47,0	44,0	37,0	
EN 50-250/22	22	2900		68,0	68,0	68,0	66,0	65,0	64,0	62,0	60,0	58,0	55,0	49,0	
EN 50-250/30	30	2900		87,0	87,0	87,0	86,0	85,0	84,0	83,0	81,0	79,0	77,0	72,0	66,0
EN 50-250/37	37	2900		100,0	99,0	99,0	99,0	98,0	97,0	96,0	94,0	92,0	90,0	86,0	82,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	54	72	78	84	90	96	102	108	120	138	162
	kW	rpm	Q (l/min)	0	900	1200	1300	1400	1500	1600	1700	1800	2000	2300	2700
EN 65-125/5,5	5,5	2900	H (m)	21,2	19,5	18,0	17,2	16,5	15,6	14,7	13,7	12,6	10,0	5,6	
EN 65-125/7,5	7,5	2900		27,0	25,6	24,0	23,3	22,6	21,8	20,8	19,8	18,7	16,3	12,0	
EN 65-125/11	11	2900		28,8	27,4	25,8	25,2	24,4	23,6	22,7	21,7	20,7	18,2	14,0	
EN 65-160/7,5	7,5	2900		28,0	26,7	25,0	24,3	23,4	22,4	21,2	19,8	18,3			
EN 65-160/11	11	2900		36,0	35,2	34,0	33,2	32,5	31,5	30,5	29,2	28,0	25,0		
EN 65-160/15	15	2900		43,2	42,8	41,8	41,2	40,5	39,8	39,0	38,0	36,8	34,0		
EN 65-200/15	15	2900		43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	31,0	26,0	
EN 65-200/18,5	18,5	2900		49,0	49,0	47,0	46,0	46,0	45,0	44,0	43,0	42,0	39,0	34,0	
EN 65-200/22	22	2900		55,0	54,0	53,0	53,0	52,0	51,0	50,0	50,0	48,0	46,0	41,0	33,0
EN 65-200/30	30	2900		67,0	67,0	66,0	65,0	65,0	64,0	64,0	63,0	62,0	61,0	57,0	50,0
EN 65-250/30	30	2900		70,0	69,0	68,0	67,0	66,0	65,0	64,0	62,0	60,0	56,0	48,0	
EN 65-250/37	37	2900		81,0	80,0	79,0	79,0	78,0	77,0	76,0	75,0	73,0	69,0	62,0	50,0
EN 65-250/45	45	2900		91,0	90,0	90,0	89,0	89,0	88,0	87,0	86,0	85,0	82,0	76,0	65,0
EN 65-250/55	55	2900		101,0	101,0	101,0	100,0	100,0	100,0	99,0	98,0	98,0	95,0	90,0	80,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	90	108	126	144	156	168	180	192	204	216	240
	kW	rpm	Q (l/min)	0	1500	1800	2100	2400	2600	2800	3000	3200	3400	3600	4000
EN 80-160/11	11	2900	H (m)	25,4	23,7	22,4	20,8	19,0	17,6	16,0					
EN 80-160/15	15	2900		31,3	29,7	28,7	27,4	26,0	24,8	23,4	21,9	20,4	18,5	16,6	
EN 80-160/18,5	18,5	2900		36,0	34,6	33,8	32,8	31,4	30,4	29,2	28,0	26,5	25,0	23,2	19,2
EN 80-160/22	22	2900		40,0	38,7	38,0	37,0	36,0	35,0	34,0	32,8	31,5	30,0	28,5	24,7
EN 80-160/30	30	2900		42,7	41,6	41,0	40,4	39,3	38,5	37,5	36,5	35,2	34,0	32,2	28,7
EN 80-200/22	22	2900		43,0	41,0	40,0	38,0	36,0	35,0	33,0	31,0	29,0	26,0		
EN 80-200/30	30	2900		53,0	51,0	51,0	49,0	48,0	46,0	45,0	43,0	41,0	39,0	37,0	
EN 80-200/37	37	2900		60,0	59,0	59,0	58,0	56,0	55,0	54,0	52,0	50,0	48,0	46,0	42,0
EN 80-200/45	45	2900		67,0	66,0	66,0	65,0	64,0	63,0	62,0	60,0	58,0	57,0	55,0	52,0
EN 80-250/37	37	2900		64,0	63,0	61,0	59,0	56,0	54,0	51,0	48,0	44,0			
EN 80-250/45	45	2900		74,0	72,0	71,0	69,0	67,0	65,0	62,0	60,0	57,0	53,0	49,0	
EN 80-250/55	55	2900		84,0	83,0	82,0	80,0	78,0	77,0	75,0	72,0	70,0	67,0	63,0	
EN 80-250/75	75	2900		101,0	100,0	100,0	99,0	97,0	96,0	95,0	93,0	91,0	89,0	87,0	81,0
EN 80-250/90	90	2900		106,0	106,0	105,0	105,0	104,0	103,0	101,0	100,0	98,0	96,0	94,0	89,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	108	144	168	192	204	216	228	240	264	288	312
	kW	rpm	Q (l/min)	0	1800	2400	2800	3200	3400	3600	3800	4000	4400	4800	5200
EN 100-160/22	22	2900	H (m)	36,2	35,0	33,5	32,1	30,5	29,6	28,6	27,5				
EN 100-160/30	30	2900		43,3	42,6	41,3	40,0	38,4	37,6	36,6	35,5	34,3	31,7	29,0	25,8
EN 100-160/37	37	2900		47,3	47,0	45,6	44,4	42,8	41,8	40,8	39,6	38,5	36,0	33,3	30,2
EN 100-200/30	30	2900		43,0	43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	31,0	
EN 100-200/37	37	2900		48,0	49,0	48,0	47,0	46,0	45,0	44,0	43,0	42,0	41,0	38,0	35,0
EN 100-200/45	45	2900		54,0	55,0	54,0	53,0	52,0	52,0	51,0	50,0	50,0	48,0	46,0	43,0
EN 100-200/55	55	2900		63,0	64,0	63,0	63,0	62,0	62,0	61,0	61,0	60,0	58,0	56,0	54,0
EN 100-250/45	45	2900		60,0	62,0	60,0	58,0	55,0	53,0	51,0	48,0	46,0	40,0	35,0	
EN 100-250/55	55	2900		69,0	71,0	70,0	68,0	65,0	63,0	62,0	60,0	58,0	53,0	48,0	
EN 100-250/75	75	2900		85,0	87,0	86,0	85,0	83,0	82,0	81,0	79,0	78,0	75,0	71,0	66,0
EN 100-250/90	90	2900		98,0	100,0	99,0	99,0	98,0	97,0	97,0	96,0	95,0	93,0	90,0	86,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	210	246	282	318	354	372	390	408	426	462	504
	kW	rpm	Q (l/min)	0	3500	4100	4700	5300	5900	6200	6500	6800	7100	7700	8400
EN 125-200/55	55	2900	H (m)	42,0	41,0	41,0	40,0	39,0	38,0	38,0	37,0	36,0	35,0	33,0	29,0
EN 125-200/75	75	2900		58,0	55,0	55,0	54,0	54,0	53,0	52,0	52,0	51,0	50,0	48,0	44,0
EN 125-200/90	90	2900		61,0	58,0	58,0	57,0	57,0	56,0	55,0	55,0	54,0	53,0	51,0	47,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	3	6	9	12	15	18	21	24			
	kW	rpm	Q (l/min)	0	50	100	150	200	250	300	350	400			
EN4 32-125/0,37	0,37	1450	H (m)	6,2	6,2	6,1	5,8	5,3	4,5	3,3					
EN4 32-125/0,55	0,55	1450		7,3	7,3	7,2	7,1	6,7	5,9	4,9	3,5				
EN4 32-160/0,37	0,37	1450		7,1	7,1	6,9	6,2	5,0	3,2						
EN4 32-160/0,55	0,55	1450		9,3	9,3	9,1	8,6	7,7	6,1	3,9					
EN4 32-160/0,75	0,75	1450		10,5	10,4	10,3	9,9	9,1	7,8	5,9					
EN4 32-200/0,75	0,75	1450		10,8	10,7	10,5	10,1	9,4	8,2	6,4	4,0				
EN4 32-200/1,1	1,1	1450		14,3	14,2	14,1	13,9	13,4	12,5	11,0	9,0	6,1			
EN4 32-200/1,5	1,5	1450		16,7	16,6	16,5	16,4	16,1	15,4	14,3	12,5	10,0			
EN4 32-250/1,1	1,1	1450		14,3	14,3	14,0	13,4	12,1	9,5	5,0					
EN4 32-250/1,5	1,5	1450		18,3	18,3	18,2	17,7	16,8	14,8	11,3					
EN4 32-250/2,2	2,2	1450		24,2	24,1	24,0	23,8	23,4	22,3	20,2	16,3				
EN4 32-250/3	3	1450		25,5	25,4	25,3	25,2	25,0	24,0	22,3	18,9				

Model	Motor Power	Motor Speed	Q (m³/h)	0	6	9	12	15	18	21	24	27	30	33	39
	kW	rpm	Q (l/min)	0	100	150	200	250	300	350	400	450	500	550	650
EN4 40-125/0,37	0,37	1450	H (m)	4,9	4,8	4,6	4,4	4,0	3,3						
EN4 40-125/0,55	0,55	1450		7,4	7,4	7,3	7,1	6,8	6,4	5,7	4,8				
EN4 40-160/0,55	0,55	1450		7,4	7,3	7,3	7,1	6,8	6,4	5,7	4,8	3,6			
EN4 40-160/0,75	0,75	1450		9,2	9,2	9,1	9,0	8,7	8,3	7,8	7,0	6,1	5,0		
EN4 40-160/1,1	1,1	1450		10,6	10,7	10,6	10,5	10,3	10,0	9,5	9,0	8,3	7,4		
EN4 40-200/1,1	1,1	1450		10,2	10,1	10,0	9,9	9,7	9,3	8,7	7,8	6,5			
EN4 40-200/1,5	1,5	1450		13,1	13,1	13,1	12,9	12,7	12,4	11,8	11,1	10,2	9,0	7,5	
EN4 40-200/2,2	2,2	1450		16,8	17,0	16,9	16,8	16,6	16,3	16,0	15,5	14,8	14,2	13,4	11,5
EN4 40-250/2,2	2,2	1450		17,6	17,6	17,5	17,4	17,2	16,9	16,3	15,7	14,8	13,6	12,1	
EN4 40-250/3	3	1450		21,7	21,7	21,7	21,6	21,5	21,3	20,9	20,4	19,8	18,9	17,8	14,7
EN4 40-250/4	4	1450		23,2	23,2	23,2	23,1	23,1	23,0	22,7	22,3	21,7	20,9	19,9	17,1
EN4 40-315/3	3	1450		22,0	21,8	21,6	21,2	20,5	19,6	18,0	16,0	13,3	9,9		
EN4 40-315/4	4	1450		28,2	27,8	27,6	27,4	26,9	26,2	25,0	23,3	21,2	18,2	14,6	
EN4 40-315/5,5	5,5	1450		35,2	34,7	34,7	34,5	34,1	33,7	33,0	31,8	30,3	27,9	25,4	
EN4 40-315/7,5	7,5	1450		38,7	38,3	38,3	38,2	38,0	37,6	37,0	36,0	34,7	32,9	30,5	23,6

Model	Motor Power	Motor Speed	Q (m³/h)	0	15	21	24	27	30	33	36	39	45	51	57
	kW	rpm	Q (l/min)	0	250	350	400	450	500	550	600	650	750	850	950
EN4 50-125/0,55	0,55	1450	H (m)	5,1	4,9	4,6	4,4	4,2	4,0	3,7	3,5	3,2			
EN4 50-125/0,75	0,75	1450		6,6	6,5	6,2	6,1	5,9	5,7	5,5	5,2	4,9	4,1		
EN4 50-125/1,1	1,1	1450		7,4	7,2	7,0	6,9	6,7	6,5	6,3	6,0	5,7	4,9	3,8	
EN4 50-160/0,75	0,75	1450		6,3	6,2	6,0	5,8	5,5	5,3	5,0	4,6	4,1	2,8		
EN4 50-160/1,1	1,1	1450		8,3	8,2	8,1	7,9	7,7	7,5	7,2	6,8	6,5	5,4	4,0	
EN4 50-160/1,5	1,5	1450		10,1	10,1	9,9	9,8	9,7	9,5	9,2	8,9	8,6	7,7	6,6	
EN4 50-160/2,2	2,2	1450		10,7	10,8	10,6	10,5	10,4	10,2	10,0	9,7	9,4	8,6	7,6	6,3
EN4 50-200/1,5	1,5	1450		10,1	10,0	9,8	9,6	9,4	9,1	8,8	8,4	8,0	7,0	5,8	
EN4 50-200/2,2	2,2	1450		13,4	13,3	13,2	13,0	12,9	12,6	12,4	12,1	11,7	10,9	9,9	8,7
EN4 50-200/3	3	1450		16,3	16,3	16,1	16,0	15,8	15,6	15,4	15,2	14,9	14,2	13,4	12,3
EN4 50-250/2,2	2,2	1450		13,8	13,7	13,5	13,3	13,0	12,6	12,2	11,5	10,9	9,3	7,5	
EN4 50-250/3	3	1450		17,3	17,3	17,1	17,0	16,7	16,3	16,0	15,4	14,8	13,4	11,7	10,0
EN4 50-250/4	4	1450		21,2	21,2	21,1	21,0	20,7	20,4	20,0	19,6	19,1	18,0	16,5	15,0
EN4 50-250/5,5	5,5	1450		24,0	24,0	24,0	24,0	23,7	23,5	23,1	22,7	22,2	21,2	20,1	18,7
EN4 50-315/5,5	5,5	1450		27,9	27,9	27,6	27,3	26,6	25,8	24,7	23,4	21,6	17,5	12,0	
EN4 50-315/7,5	7,5	1450		34,6	34,7	34,3	34,2	33,9	33,3	32,7	31,8	30,8	27,8	23,8	18,0
EN4 50-315/11	11	1450		38,5	38,7	38,4	38,2	38,0	37,8	37,3	37,0	36,0	34,0	30,5	25,3

Model	Motor Power	Motor Speed	Q (m³/h)	0	12	18	24	30	36	48	54	60	72	84	96
	kW	rpm	Q (l/min)	0	200	300	400	500	600	800	900	1000	1200	1400	1600
EN4 65-125/0,75	0,75	1450	H (m)	5,6	5,5	5,4	5,3	5,1	4,8	4,0	3,5	2,8			
EN4 65-125/1,1	1,1	1450		6,8	6,8	6,7	6,6	6,3	6,1	5,3	4,7	4,1	2,7		
EN4 65-160/1,1	1,1	1450		7,7	7,6	7,5	7,3	7,2	6,9	6,0	5,3	4,5			
EN4 65-160/1,5	1,5	1450		9,3	9,3	9,3	9,2	9,0	8,8	8,0	7,4	6,7			
EN4 65-160/2,2	2,2	1450		10,5	10,6	10,6	10,5	10,3	10,1	9,4	8,9	8,3	6,7		
EN4 65-200/1,5	1,5	1450		9,3	9,3	9,3	9,1	8,9	8,6	7,6	7,0	6,2			
EN4 65-200/2,2	2,2	1450		11,6	11,7	11,6	11,5	11,4	11,1	10,3	9,7	9,0	7,2		
EN4 65-200/3	3	1450		13,9	14,0	13,9	13,9	13,7	13,5	12,8	12,3	11,8	10,3	8,2	
EN4 65-200/4	4	1450		15,8	15,9	15,9	15,8	15,7	15,6	15,0	14,7	14,2	12,9	11,2	
EN4 65-250/3	3	1450		15,2	15,2	15,1	15,0	14,9	14,6	13,5	12,7	11,5	8,4		
EN4 65-250/4	4	1450		18,2	18,2	18,2	18,1	18,0	17,8	16,9	16,1	15,2	12,5	9,1	
EN4 65-250/5,5	5,5	1450		22,3	22,2	22,2	22,1	22,1	22,0	21,4	20,8	20,1	18,0	15,0	11,0
EN4 65-250/7,5	7,5	1450		24,1	24,0	24,0	24,0	24,0	23,9	23,4	23,0	22,3	20,5	17,8	14,6
EN4 65-315/5,5	5,5	1450		22,0	22,1	22,2	22,2	22,2	22,0	21,0	20,1	19,0	15,8	11,8	
EN4 65-315/7,5	7,5	1450		26,0	26,2	26,3	26,4	26,3	26,1	25,3	24,6	23,6	21,0	17,4	12,6
EN4 65-315/11	11	1450		32,6	33,2	33,4	33,4	33,4	33,2	32,7	32,1	31,5	29,8	27,4	24,0
EN4 65-315/15	15	1450		36,6	37,5	37,5	37,7	37,5	37,4	37,0	36,7	36,2	35,0	33,2	30,6
EN4 65-400/15	15	1450		44,0	44,0	44,0	44,0	44,0	43,0	42,0	40,0	39,0	34,0	29,0	22,0
EN4 65-400/18,5	18,5	1450		51,0	51,0	51,0	51,0	51,0	50,0	49,0	48,0	47,0	43,0	39,0	32,0
EN4 65-400/22	22	1450		56,0	57,0	57,0	57,0	57,0	56,0	55,0	55,0	54,0	51,0	47,0	40,0
EN4 65-400/30	30	1450		64,0	64,0	64,0	65,0	65,0	64,0	64,0	63,0	63,0	60,0	57,0	51,0



Model	Motor Power	Motor Speed	Q (m³/h)	0	24	36	48	54	60	72	84	96	108	138	168
	kW	rpm	Q (l/min)	0	400	600	800	900	1000	1200	1400	1600	1800	2300	2800
EN4 80-160/1,5	1,5	1450	H (m)	6,4	6,4	6,2	5,9	5,7	5,4	4,9	4,1	3,3			
EN4 80-160/2,2	2,2	1450		8,3	8,3	8,2	8,0	7,8	7,7	7,2	6,7	6,0	5,2		
EN4 80-160/3	3	1450		10,1	10,0	9,9	9,8	9,7	9,6	9,3	8,9	8,4	7,7	5,3	
EN4 80-200/3	3	1450		11,0	11,0	10,8	10,5	10,2	10,0	9,4	8,7	7,8	6,5		
EN4 80-200/4	4	1450		13,3	13,3	13,1	12,9	12,7	12,6	12,0	11,4	10,5	9,4		
EN4 80-200/5,5	5,5	1450		16,4	16,5	16,4	16,2	16,1	16,0	15,6	15,0	14,3	13,4	10,2	
EN4 80-250/4	4	1450		15,2	15,3	15,3	15,0	14,8	14,5	13,5	12,2	10,4			
EN4 80-250/5,5	5,5	1450		17,6	17,7	17,7	17,5	17,3	17,0	16,3	15,2	13,8	12,0		
EN4 80-250/7,5	7,5	1450		21,1	21,0	21,1	21,0	20,9	20,8	20,3	19,5	18,4	17,1		
EN4 80-250/11	11	1450		24,8	24,9	24,9	24,9	24,9	24,8	24,6	24,2	23,5	22,5	18,6	
EN4 80-315/11	11	1450		29,0	28,8	28,8	28,7	28,5	28,4	27,8	27,0	25,8	24,2		
EN4 80-315/15	15	1450		34,6	34,6	34,6	34,5	34,4	34,2	34,0	33,3	32,4	31,2	27,0	
EN4 80-315/18,5	18,5	1450		37,6	37,6	37,6	37,5	37,4	37,3	37,0	36,5	35,8	34,7	31,0	
EN4 80-400/18,5	18,5	1450		35,0	35,0	35,0	35,0	35,0	35,0	35,0	35,0	34,0	32,0	27,0	20,0
EN4 80-400/22	22	1450		40,0	40,0	40,0	40,0	40,0	40,0	40,0	40,0	39,0	37,0	33,0	27,0
EN4 80-400/30	30	1450		50,0	50,0	50,0	51,0	51,0	51,0	51,0	51,0	50,0	49,0	45,0	40,0
EN4 80-400/37	37	1450		58,0	58,0	59,0	59,0	59,0	59,0	59,0	59,0	59,0	58,0	55,0	50,0
EN4 80-400/45	45	1450		63,0	63,0	63,0	64,0	64,0	64,0	64,0	64,0	64,0	63,0	61,0	56,0



Model	Motor Power	Motor Speed	Q (m³/h)	0	48	60	72	84	96	108	120	138	168	192	216
	kW	rpm	Q (l/min)	0	800	1000	1200	1400	1600	1800	2000	2300	2800	3200	3600
EN4 100-160/3	3	1450	H (m)	9,0	9,0	9,0	9,0	8,0	8,0	7,0	7,0	6,0			
EN4 100-160/4	4	1450		12,0	12,0	12,0	11,0	11,0	11,0	10,0	10,0	9,0			
EN4 100-200/4	4	1450		10,0	11,0	11,0	11,0	11,0	10,0	10,0	9,0	8,0	6,0		
EN4 100-200/5,5	5,5	1450		13,0	14,0	14,0	13,0	13,0	13,0	13,0	12,0	12,0	10,0	8,0	
EN4 100-200/7,5	7,5	1450		15,0	15,0	15,0	15,0	15,0	15,0	15,0	15,0	14,0	12,0	11,0	9,0
EN4 100-250/5,5	5,5	1450		15,0	15,0	15,0	14,0	14,0	13,0	12,0	11,0	9,0			
EN4 100-250/7,5	7,5	1450		18,0	18,0	18,0	18,0	17,0	17,0	16,0	15,0	13,0	9,0		
EN4 100-250/11	11	1450		22,0	22,0	22,0	22,0	22,0	22,0	21,0	20,0	19,0	15,0	12,0	
EN4 100-250/15	15	1450		23,0	23,0	24,0	24,0	24,0	23,0	23,0	22,0	21,0	18,0	14,0	10,0
EN4 100-315/15	15	1450		27,0	27,0	27,0	27,0	26,0	26,0	26,0	25,0	24,0	21,0	18,0	14,0
EN4 100-315/18,5	18,5	1450		31,0	31,0	31,0	31,0	30,0	30,0	30,0	29,0	28,0	26,0	24,0	20,0
EN4 100-315/22	22	1450		35,0	35,0	35,0	35,0	35,0	35,0	35,0	34,0	33,0	32,0	30,0	27,0
EN4 100-315/30	30	1450		37,0	37,0	37,0	37,0	37,0	36,0	36,0	36,0	35,0	34,0	32,0	30,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	48	72	96	120	168	192	216	240	264	288	312
	kW	rpm	Q (l/min)	0	800	1200	1600	2000	2800	3200	3600	4000	4400	4800	5200
EN4 100-400/30	30	1450	H (m)	41,0	40,0	40,0	40,0	39,0	37,0	34,0	32,0	28,0	25,0	21,0	
EN4 100-400/37	37	1450		46,0	46,0	46,0	46,0	45,0	43,0	41,0	38,0	35,0	32,0	28,0	24,0
EN4 100-400/45	45	1450		53,0	53,0	53,0	52,0	52,0	50,0	48,0	46,0	43,0	40,0	37,0	33,0
EN4 100-400/55	55	1450		59,0	59,0	59,0	59,0	59,0	57,0	55,0	54,0	51,0	49,0	46,0	43,0
EN4 100-400/75	75	1450		64,0	64,0	64,0	64,0	63,0	63,0	61,0	60,0	58,0	56,0	53,0	50,0

Model	Motor Power	Motor Speed	Q (m³/h)	0	120	144	168	192	216	240	264	288	312	336	360
	kW	rpm	Q (l/min)	0	2000	2400	2800	3200	3600	4000	4400	4800	5200	5600	6000
EN4 125-200/7,5	7,5	1450	H (m)	12,0	11,0	11,0	11,0	11,0	10,0	9,0	8,0	7,0			
EN4 125-200/11	11	1450		14,0	14,0	14,0	14,0	13,0	13,0	12,0	11,0	10,0	9,0	7,0	
EN4 125-250/15	15	1450		17,0	17,0	17,0	17,0	16,0	16,0	15,0	14,0	13,0	12,0	11,0	10,0
EN4 125-250/18,5	18,5	1450		20,0	20,0	20,0	20,0	20,0	19,0	19,0	18,0	17,0	17,0	15,0	14,0
EN4 125-250/22	22	1450		22,0	23,0	23,0	22,0	22,0	22,0	22,0	21,0	20,0	20,0	19,0	17,0
EN4 125-315/18,5	18,5	1450		23,0	23,0	23,0	22,0	22,0	21,0	20,0	18,0	16,0	14,0	12,0	10,0
EN4 125-315/22	22	1450		26,0	26,0	26,0	26,0	25,0	24,0	23,0	22,0	20,0	18,0	16,0	14,0
EN4 125-315/30	30	1450		32,0	32,0	32,0	31,0	31,0	30,0	29,0	28,0	27,0	25,0	23,0	21,0
EN4 125-315/37	37	1450		37,0	37,0	36,0	36,0	36,0	35,0	34,0	33,0	32,0	31,0	29,0	27,0
EN4 125-315/45	45	1450		39,0	39,0	38,0	38,0	38,0	37,0	36,0	36,0	35,0	33,0	32,0	30,0
EN4 125-400/37	37	1450		39,0	40,0	40,0	39,0	38,0	37,0	35,0	32,0	30,0	26,0	23,0	19,0
EN4 125-400/45	45	1450		45,0	46,0	45,0	45,0	44,0	43,0	41,0	39,0	37,0	34,0	31,0	27,0
EN4 125-400/55	55	1450		51,0	52,0	52,0	51,0	50,0	49,0	48,0	46,0	44,0	42,0	39,0	36,0
EN4 125-400/75	75	1450		62,0	63,0	63,0	63,0	63,0	62,0	62,0	61,0	59,0	58,0	56,0	53,0


Model	Motor Power	Motor Speed	Q (m³/h)	0	216	264	288	312	336	360	390	420	450	480	540
	kW	rpm	Q (l/min)	0	3600	4400	4800	5200	5600	6000	6500	7000	7500	8000	9000
EN4 150-200/11	11	1450	H (m)	12,0	11,0	10,0	10,0	10,0	9,0	9,0	8,0	7,0			
EN4 150-200/15	15	1450		14,0	13,0	12,0	12,0	12,0	11,0	11,0	10,0	9,0			
EN4 150-250/15	15	1450		15,0	14,0	13,0	13,0	13,0	12,0	12,0	11,0	10,0	9,0	7,0	
EN4 150-250/18,5	18,5	1450		17,0	17,0	16,0	16,0	15,0	15,0	15,0	14,0	13,0	12,0	10,0	
EN4 150-250/22	22	1450		19,0	19,0	19,0	18,0	18,0	18,0	17,0	17,0	16,0	15,0	13,0	10,0
EN4 150-250/30	30	1450		21,0	21,0	21,0	21,0	20,0	20,0	20,0	19,0	18,0	17,0	16,0	13,0
EN4 150-315/18,5	18,5	1450		21,0	19,0	18,0	17,0	16,0	15,0	14,0	12,0				
EN4 150-315/22	22	1450		23,0	21,0	20,0	19,0	18,0	17,0	16,0	15,0				
EN4 150-315/30	30	1450		28,0	27,0	26,0	26,0	25,0	24,0	23,0	22,0	20,0	18,0		
EN4 150-315/37	37	1450		32,0	32,0	31,0	30,0	30,0	29,0	28,0	27,0	25,0	23,0	21,0	
EN4 150-315/45	45	1450		36,0	36,0	35,0	35,0	34,0	34,0	33,0	32,0	30,0	29,0	27,0	
EN4 150-315/55	55	1450		38,0	37,0	37,0	36,0	36,0	35,0	35,0	33,0	32,0	31,0	29,0	26,0
EN4 150-400/45	45	1450		37,0	37,0	35,0	34,0	34,0	33,0	32,0	30,0	29,0	27,0	25,0	
EN4 150-400/55	55	1450		44,0	43,0	42,0	41,0	40,0	39,0	38,0	37,0	36,0	34,0	33,0	29,0
EN4 150-400/75	75	1450		54,0	53,0	52,0	51,0	51,0	50,0	49,0	48,0	47,0	45,0	43,0	40,0
EN4 150-400/90	90	1450		61,0	60,0	59,0	59,0	58,0	57,0	57,0	56,0	54,0	53,0	52,0	48,0

Performance Curves**EN 32-125****EN 32-160**


Performance Curves**EN 32-200****EN 32-250**

Performance Curves

EN 40-125




EN 40-160




Performance Curves

EN 40-200




EN 40-250




Performance Curves

EN 50-125




EN 50-160






Performance Curves



EN 50-200





EN 50-250




Performance Curves**EN 65-125****EN 65-160**

Performance Curves**EN 65-200****EN 65-250**


Performance Curves**EN 80-160****EN 80-200**

Performance Curves

EN 80-250




EN 100-160




Performance Curves

EN 100-200




EN 100-250






Performance Curves



EN 125-200







EN4 32-125





Performance Curves**EN4 32-160****EN4 32-200**

Performance Curves**EN4 32-250****EN4 40-125**


Performance Curves**EN4 40-160****EN4 40-200**

Performance Curves**EN4 40-250****EN4 40-315**


Performance Curves**EN4 50-125****EN4 50-160**



Performance Curves

EN4 50-200




EN4 50-250




Performance Curves**EN4 50-315****EN4 65-125**

Performance Curves

EN4 65-160




EN4 65-200






Performance Curves

EN4 65-250




EN4 65-315




Performance Curves**EN4 65-400****EN4 80-160**

Performance Curves

EN4 80-200




EN4 80-250






Performance Curves



EN4 80-315



EN4 80-400




Performance Curves**EN4 100-160****EN4 100-200**


Performance Curves**EN4 100-250****EN4 100-315**

Performance Curves

EN4 100-400




EN4 125-200




Performance Curves

EN4 125-250




EN4 125-315






Performance Curves



EN4 125-400



EN4 150-200




Performance Curves**EN4 150-250****EN4 150-315**

Performance Curves**EN4 150-400****EN4 200-260**

Performance Curves

EN4 200-315





EBITT EUROPE KFT

H-6782 Mórahalom, Szegedi út 108. Hungary Phone: +3662-280-926

Fax: +3662-280-927

export@ebitteurope.com

www.ebitteurope.com



**EBITTME PUMPS ENGINES VALVES & SPARE
PARTS TRADING CO. L.L.C.**

ALSUAIDI, Al Suwaidi Bldg, Al Murar - Deira

P.O. Box 453929 Dubai, UAE

emea@ebitteurope.com

+971 55-454 4187



**EBITT FINDUSTRIE (ZHE JIANG) INDUSTRIAL
ENGINEERING LIMITED COMPANY**

Hangzhou City, Zhejiang Province, China

info@ebitt.com.cn

+86 15168651662

**EBITT ASIA PACIFIC PTE LTD
(EAP Singapore)**

226 Jalan Eunos #04-128, Singapore 415869 Phone: (65) 98393745

info@ebitt-asiapac.com

EBITT TÜRKİYE

Koçullu Mah. Doğru Sok. No:6 34799 Çekmeköy / İstanbul

info@ebitt.com.tr

www.ebitt.com.tr